**Figure 1.**

BEST AVAILABLE COPY

Figure 2a: Mock infected

NIH-3T3

NIH-3T3 Ha-Ras

24 HPI

48 HPI



72 HPI

BEST AVAILABLE COPY


Figure 2b: wtWR

NIH-3T3



NIH-3T3 Ha-Ras



24 HPI



48 HPI



72 HPI

Figure 2c: WRdel83N

NIH-3T3

NIH-3T3 Ha-Ras

24 HPI

48 HPI



72 HPI

BEST AVAILABLE COPY



Figure 2d: WRdel54N

NIH-3T3



NIH-3T3 Ha-Ras



24 HPI



48 HPI



72 HPI

Figure 2e: WRdel7C

NIH-3T3

NIH-3T3 Ha-Ras

24 HPI

48 HPI

72 HPI











Figure 2f: WRdelE3L

NIH-3T3



NIH-3T3 Ha-Ras



24 HPI



48 HPI



72 HPI

BEST AVAILABLE COPY




Figure 3.

BEST AVAILABLE COPY




Figure 4.

BEST AVAILABLE COPY




Figure 5.

BEST AVAILABLE COPY




Figure 6.

BEST AVAILABLE COPY




Figure 7.

BEST AVAILABLE COPY




Figure 8.

BEST AVAILABLE COPY




Figure 9.

BEST AVAILABLE COPY

Figure 10a




Figure 10b






Figure 11a.

BEST AVAILABLE COPY



Figure 11b.

BEST AVAILABLE COPY




Figure 11c.

BEST AVAILABLE COPY



Figure 11d.

BEST AVAILABLE COPY